



DYNACORD
GERMAN ENGINEERING EXCELLENCE

January 2010
Martin Traut

D-Lite Series Update 2010

The Family...

... keeps growing.

New powered models

The logo features a large, stylized blue letter 'D' with a white outline. To its right, the word 'LITE' is written in a white, sans-serif font, with a registered trademark symbol (®) to its upper right.

New powered models



D 12-3A ● D 12A ● PowerSub 315 ● PowerSub 312 ● Sub 118 ● Sub 115 ● Sub 112 ● D 15-3 ● D 12-3 ● D 12 ● D 8

D-Lite Series Update January 2010

The logo consists of a circular icon on the left containing a stylized globe or speaker grille. To the right of the icon, the word 'DYNACORD' is written in a large, bold, blue, sans-serif font. Below 'DYNACORD', the phrase 'GERMAN ENGINEERING EXCELLENCE' is written in a smaller, blue, sans-serif font.



AVIATION
DYNACORD

D 8A

8" / 1"

2-way biamped Powered Fullrange Cabinet



DH 3

DND 8200-8

90° x 90°



D 8A

8" / 1"

2-way biamped Powered Fullrange Cabinet

Compact
Light-weight
Powerful

250 + 250 W / RMS
400 + 400 W IHF-A total amplifier power
Microphone input
Lo-Cut

123 dB max. SPL
8,95 kg

Excellent Audio Performance
Low cost of ownership

Digital Amplifier Module



D 8A

8" / 1"

2-way biamped Powered Fullrange Cabinet

Compact
Light-weight
Powerful


250 + 250 W / RMS

400 + 400 W IHF-A total amplifier power

123 dB max. SPL

8,95 kg

Excellent Audio Performance
Consistent sound image up to highest levels
Low cost of ownership



D 8A

Comprehensive D-Lite Accessories

MB D 8 UMH-Type mounting bracket

WMK 10 Wall mount kit


Omni Mount compatible

FB-D 8 Flying bracket_TV-Spigot

PCL M10 Pole mount adaptor for flying bracket

TC-02 Truss clamp for flying bracket

SH-D 8 Dust cover bag





FiveMatic

D 11A

12" / 1"

2-way biamped Powered Fullrange Cabinet

Compact

Light-weight

Powerful

Lo LFT 3508

Hi DH 3

250 + 250 W / RMS


400 + 400 W IHF-A total amplifier power

126 dB max. SPL

15,25 kg

Excellent Audio Performance

Low cost of ownership



D 11A

12" / 1"

2-way biamped Powered Fullrange Cabinet

Compact
Light-weight
Powerful

250 + 250 W / RMS

400 + 400 W IHF-A total amplifier power


Microphone input
RCA-type AUX-Input

126 dB max. SPL

15,25 kg

Excellent Audio Performance
Low cost of ownership

Digital
Amplifier
Module



D-Lite Series Update January 2010

DYNACORD
GERMAN ENGINEERING EXCELLENCE

D 11A

Comprehensive D-Lite Accessories

MB 200 UMH	UMH-Type mounting bracket
MB 212	Mounting bracket
F212	Monitor feet
TC-02	Truss clamp for UMH
SH-D 12	Dust cover

